

Tier	R=rare C=common	Cancer Entity	1999-2001		2002-2004		2005-2007	
			5-year relative survival	standard error	5-year relative survival	standard error	5-year relative survival	standard error
1	R	EPITHELIAL TUMOURS OF NASAL CAVITY AND SINUSES	46.0%	1.30%	42.80%	1.20%	50.70%	1.30%
2	R	Squamous cell carcinoma with variants of nasal cavity and sinuses	49.0%	1.50%	45.60%	1.40%	52.90%	1.50%
2	R	Lymphoepithelial carcinoma of nasal cavity and sinuses	11.5%	10.00%	57.30%	18.60%	86.10%	13.10%
2	R	Undifferentiated carcinoma of nasal cavity and sinuses	31.9%	5.60%	24.60%	5.80%	46.20%	7.00%
2	R	Intestinal type adenocarcinoma of nasal cavity and sinuses	54.9%	38.80%	59.50%	19.00%	80.50%	13.90%
1	R	EPITHELIAL TUMOURS OF NASOPHARYNX	48.5%	2.30%	48.80%	2.10%	46.50%	2.20%
2	R	Squamous cell carcinoma with variants of nasopharynx	49.0%	2.60%	49.20%	2.30%	44.80%	2.30%
2	R	Papillary adenocarcinoma of nasopharynx	111.0%	0.00%	+	+	107.20%	0.00%
1	R	EPITHELIAL TUMOURS OF MAJOR SALIVARY GLANDS AND SALIVARY-GLAND TYPE	61.4%	0.70%	62.00%	0.70%	63.20%	0.70%
2	R	Epithelial tumours of major salivary glands	58.8%	0.90%	60.00%	0.90%	60.70%	0.90%
2	R	Salivary gland type tumours of head and neck	67.0%	1.30%	66.40%	1.30%	68.70%	1.30%
1	C	EPITHELIAL TUMOURS OF HYPOPHARYNX AND LARYNX	51.6%	0.30%	52.00%	0.30%	52.50%	0.40%
2	R	Squamous cell carcinoma with variants of hypopharynx	22.9%	0.60%	24.30%	0.60%	25.10%	0.60%
2	R	Squamous cell carcinoma with variants of larynx	60.3%	0.40%	60.70%	0.40%	60.90%	0.40%
1	R	EPITHELIAL TUMOURS OF OROPHARYNX	36.5%	0.50%	39.50%	0.50%	43.30%	0.50%
2	R	Squamous cell carcinoma with variants of oropharynx	36.8%	0.50%	40.00%	0.50%	43.90%	0.50%
1	R	EPITHELIAL TUMOURS OF ORAL CAVITY AND LIP	57.1%	0.40%	56.80%	0.40%	56.80%	0.40%
2	R	Squamous cell carcinoma with variants of oral cavity	46.1%	0.50%	47.40%	0.50%	49.30%	0.40%
2	R	Squamous cell carcinoma with variants of lip	89.4%	0.80%	90.00%	0.80%	88.20%	0.90%
1	C	EPITHELIAL TUMOURS OF OESOPHAGUS	9.3%	0.20%	10.80%	0.20%	12.20%	0.20%
2	R	Squamous cell carcinoma with variants of oesophagus	9.7%	0.30%	10.70%	0.30%	11.80%	0.30%
2	R	Adenocarcinoma with variants of oesophagus	10.0%	0.30%	12.30%	0.30%	13.80%	0.30%
2	R	Salivary gland type tumours of oesophagus	0.0%	0.00%	4.70%	4.80%	9.10%	8.60%
2	R	Undifferentiated carcinoma of oesophagus	6.5%	1.70%	6.50%	1.90%	4.50%	1.50%
1	C	EPITHELIAL TUMOURS OF STOMACH	18.6%	0.20%	18.60%	0.20%	18.80%	0.20%
2	C	Adenocarcinoma with variants of stomach	20.5%	0.20%	20.30%	0.20%	20.20%	0.20%
2	R	Squamous cell carcinoma with variants of stomach	14.4%	1.60%	14.10%	1.50%	17.30%	1.80%
2	R	Salivary gland-type tumours of stomach	25.5%	13.60%	10.30%	10.40%	104.50%	30.20%
2	R	Undifferentiated carcinoma of stomach	12.8%	1.10%	13.50%	1.30%	13.70%	1.40%
1	R	EPITHELIAL TUMOURS OF SMALL INTESTINE	23.4%	0.90%	24.60%	0.80%	25.80%	0.80%
2	R	Adenocarcinoma with variants of small intestine	25.0%	1.00%	25.70%	1.00%	26.80%	0.90%
2	R	Squamous cell carcinoma with variants of small intestine	42.0%	11.80%	32.80%	7.50%	21.30%	6.70%
1	C	EPITHELIAL TUMOUR OF COLON	50.4%	0.10%	52.10%	0.10%	53.70%	0.10%
2	C	Adenocarcinoma with variants of colon	54.8%	0.20%	56.40%	0.10%	57.80%	0.10%
2	R	Squamous cell carcinoma with variants of colon	31.3%	5.20%	29.50%	5.00%	39.20%	5.20%
2	R	Fibromixoma and low grade mucinous adenocarcinoma of the appendix	62.0%	3.30%	56.50%	2.90%	58.50%	2.50%
1	C	EPITHELIAL TUMOURS OF RECTUM	49.0%	0.20%	51.40%	0.20%	54.30%	0.20%
2	C	Adenocarcinoma with variants of rectum	51.7%	0.20%	53.90%	0.20%	56.50%	0.20%
2	R	Squamous cell carcinoma with variants of rectum	46.4%	2.60%	42.20%	2.30%	48.30%	2.50%
1	R	EPITHELIAL TUMOURS OF ANAL CANAL	52.2%	0.90%	54.40%	0.80%	56.90%	0.80%
2	R	Squamous cell carcinoma with variants of anal canal	59.5%	1.00%	61.90%	1.00%	63.80%	0.90%
2	R	Adenocarcinoma with variants of anal canal	39.6%	1.70%	39.40%	1.60%	38.50%	1.70%

2	R	Paget's disease of anal canal	79.5%	32.40%	104.60%	19.10%	43.20%	25.50%
1	C	EPITHELIAL TUMOURS OF PANCREAS	3.5%	0.10%	3.70%	0.10%	3.70%	0.10%
2	C	Adenocarcinoma with variants of pancreas	3.0%	0.10%	3.60%	0.10%	3.70%	0.10%
2	R	Squamous cell carcinoma with variants of pancreas	8.7%	2.90%	6.50%	2.50%	9.20%	3.30%
2	R	Acinar cell carcinoma of pancreas	19.7%	4.70%	20.90%	5.00%	14.40%	3.60%
2	R	Mucinous cystadenocarcinoma of pancreas	34.5%	10.90%	44.50%	10.30%	31.40%	9.40%
2	R	Intraductal papillary mucinous carcinoma invasive of pancreas	+	+	52.50%	15.10%	19.90%	6.50%
2	R	Solid pseudopapillary carcinoma of pancreas	+	+	71.50%	14.80%	63.20%	13.80%
2	R	Serous cystadenocarcinoma of pancreas	+	+	+	+	+	+
2	R	Carcinoma with osteoclast-like giant cells of pancreas	+	+	+	+	+	+
1	C	EPITHELIAL TUMOURS OF LIVER AND INTRAHEPATIC BILE TRACT (IBT)	8.0%	0.20%	8.90%	0.20%	9.10%	0.20%
2	R	Hepatocellular carcinoma of Liver and IBT	11.5%	0.40%	13.30%	0.30%	13.20%	0.30%
2	R	Hepatocellular carcinoma, fibrolamellar of liver and IBT	20.3%	5.00%	20.30%	4.80%	22.00%	4.80%
2	R	Cholangiocarcinoma of IBT	5.2%	0.40%	4.40%	0.40%	5.30%	0.40%
2	R	Adenocarcinoma with variants of liver and IBT	5.6%	0.70%	4.60%	0.60%	6.70%	0.70%
2	R	Undifferentiated carcinoma of liver and IBT	0.1%	0.10%	+	+	+	+
2	R	Squamous cell carcinoma with variants of liver and IBT	11.5%	6.40%	14.40%	6.60%	15.70%	6.10%
2	R	Bile duct cystadenocarcinoma of IBT	+	+	+	+	31.10%	14.80%
1	R	EPITHELIAL TUMOURS OF GALLBLADDER AND EXTRAHEPATIC BILIARY TRACT (EBT)	11.9%	0.30%	12.90%	0.30%	13.40%	0.30%
2	R	Adenocarcinoma with variants of gallbladder	13.2%	0.50%	14.40%	0.50%	14.80%	0.50%
2	R	Adenocarcinoma with variants of EBT	16.9%	0.60%	18.70%	0.60%	18.70%	0.50%
2	R	Squamous cell carcinoma of gallbladder and EBT	12.0%	2.80%	11.40%	3.10%	6.00%	2.00%
1	R	EPITHELIAL TUMOUR OF TRACHEA	14.4%	1.60%	15.00%	1.60%	21.60%	2.20%
2	R	Squamous cell carcinoma with variants of trachea	9.3%	1.70%	10.00%	1.70%	15.20%	2.60%
2	R	Adenocarcinoma with variants of trachea	8.9%	4.50%	16.50%	5.50%	7.20%	4.20%
2	R	Salivary gland type tumours of trachea	61.6%	8.20%	58.30%	8.20%	72.50%	6.70%
1	C	EPITHELIAL TUMOUR OF LUNG	9.1%	0.10%	9.50%	0.10%	10.00%	0.10%
2	C	Squamous cell carcinoma with variants of lung	12.1%	0.10%	13.00%	0.20%	14.00%	0.20%
2	C	Adenocarcinoma with variants of lung	14.3%	0.20%	15.10%	0.20%	16.10%	0.20%
2	R	Adenosquamous carcinoma of lung	20.7%	1.30%	20.80%	1.30%	22.20%	1.30%
2	R	Large cell carcinoma of lung	11.1%	0.20%	12.50%	0.30%	13.60%	0.30%
2	C	Poorly differentiated endocrine carcinoma of lung	4.8%	0.10%	5.40%	0.10%	5.70%	0.10%
2	R	Salivary gland type tumours of lung	40.3%	3.60%	37.00%	3.30%	37.20%	3.30%
2	R	Sarcomatoid carcinoma of lung	14.8%	1.40%	15.70%	1.30%	18.00%	1.30%
1	R	EPITHELIAL TUMOURS OF THYMUS	57.5%	2.10%	62.90%	2.00%	63.80%	1.90%
2	R	Malignant thymoma	61.3%	2.20%	69.10%	2.10%	67.90%	2.00%
2	R	Squamous cell carcinoma of thymus	33.5%	10.50%	46.30%	12.00%	46.50%	10.30%
2	R	Undifferentiated carcinoma of thymus	34.7%	14.20%	29.90%	14.70%	10.60%	10.60%
2	R	Lymphoepithelial carcinoma of thymus	+	+	+	+	67.90%	27.70%
2	R	Adenocarcinoma with variants of thymus	48.6%	17.60%	17.20%	12.40%	54.70%	16.40%
1	C	EPITHELIAL TUMOURS OF BREAST	79.1%	0.10%	81.40%	0.10%	83.20%	0.10%
2	C	Invasive ductal carcinoma of breast	82.9%	0.10%	84.40%	0.10%	85.50%	0.10%
2	C	Invasive lobular carcinoma of breast	84.9%	0.30%	85.80%	0.20%	85.80%	0.20%
2	R	Mammary Paget's disease of breast	82.0%	1.10%	82.50%	1.10%	87.30%	1.10%
2	R	Special types of adenocarcinoma of breast	94.4%	0.40%	94.30%	0.30%	94.60%	0.40%
2	R	Metaplastic carcinoma of breast	60.3%	3.40%	67.00%	3.00%	66.30%	2.50%
2	R	Salivary gland type tumours of breast	91.3%	3.10%	88.20%	3.20%	94.80%	2.40%
2	R	Epithelial tumour of male breast	73.1%	1.40%	73.00%	1.30%	76.30%	1.30%
1	C	EPITHELIAL TUMOURS OF CORPUS UTERI	76.9%	0.20%	78.20%	0.20%	79.20%	0.20%
2	C	Adenocarcinoma with variants of corpus uteri	81.0%	0.20%	82.40%	0.20%	83.60%	0.20%

2	R	Squamous cell carcinoma with variants of corpus uteri	54.5%	2.80%	63.20%	3.10%	58.40%	3.30%
2	R	Adenoid cystic carcinoma of corpus uteri	92.1%	16.80%	+	+	+	+
2	R	Clear cell adenocarcinoma, not otherwise specified of corpus uteri	59.5%	2.30%	57.40%	2.20%	56.10%	2.00%
2	R	Serous (papillary) carcinoma of corpus uteri	47.9%	4.50%	36.70%	3.30%	41.20%	3.20%
2	R	Mullerian mixed tumour of corpus uteri	34.2%	1.40%	35.80%	1.30%	37.60%	1.20%
1	C	EPITHELIAL TUMOURS OF CERVIX UTERI	63.2%	0.30%	64.00%	0.30%	66.40%	0.30%
2	R	Squamous cell carcinoma with variants of cervix uteri	65.2%	0.30%	65.50%	0.30%	68.00%	0.30%
2	R	Adenocarcinoma with variants of cervix uteri	64.1%	0.80%	66.70%	0.80%	68.80%	0.80%
2	R	Undifferentiated carcinoma of cervix uteri	32.3%	4.10%	33.60%	4.20%	33.30%	4.40%
2	R	Mullerian mixed tumour of cervix uteri	33.2%	6.50%	33.70%	5.90%	32.30%	5.90%
1	C	EPITHELIAL TUMOUR OF OVARY AND FALLOPIAN TUBE	36.9%	0.20%	36.30%	0.20%	36.80%	0.30%
2	R	Adenocarcinoma with variants of ovary	37.6%	0.30%	38.10%	0.30%	38.00%	0.30%
2	R	Mucinous adenocarcinoma of ovary	60.3%	0.80%	58.10%	0.80%	62.20%	0.90%
2	R	Clear cell adenocarcinoma of ovary	55.2%	1.50%	53.50%	1.40%	55.80%	1.40%
2	R	Primary peritoneal serous/papillary carcinoma of ovary	15.8%	3.30%	18.30%	2.40%	23.20%	2.50%
2	R	Mullerian mixed tumour of ovary	18.8%	1.70%	23.50%	1.80%	21.30%	1.60%
2	R	Adenocarcinoma with variant of fallopian tube	53.4%	2.20%	56.30%	2.00%	60.20%	2.00%
1	R	NON EPITHELIAL TUMOURS OF OVARY	81.4%	1.20%	81.80%	1.20%	82.10%	1.20%
2	R	Sex cord tumours of ovary	79.5%	1.70%	79.40%	1.90%	78.30%	1.90%
2	R	Malignant/Immature teratomas of ovary	84.5%	2.30%	81.10%	2.40%	85.10%	2.40%
2	R	Germ cell tumour of ovary	83.0%	2.10%	86.70%	1.90%	86.70%	1.90%
1	R	EPITHELIAL TUMOURS OF VULVA AND VAGINA	56.8%	0.70%	56.90%	0.70%	59.30%	0.60%
2	R	Squamous cell carcinoma with variants of vulva and vagina	58.7%	0.70%	58.90%	0.70%	61.10%	0.70%
2	R	Adenocarcinoma with variants of vulva and vagina	43.1%	3.10%	43.60%	3.00%	44.30%	3.10%
2	R	Paget s disease of vulva and vagina	93.0%	3.70%	88.00%	3.80%	88.50%	3.60%
2	R	Undifferentiated carcinoma of vulva and vagina	36.2%	10.50%	25.80%	9.70%	32.40%	11.80%
1	R	TROPHOBLASTIC TUMOUR OF PLACENTA	89.8%	2.90%	89.90%	2.90%	86.70%	3.50%
2	R	Choriocarcinoma of placenta	89.7%	2.90%	90.30%	2.90%	88.30%	3.40%
1	C	EPITHELIAL TUMOURS OF PROSTATE	73.6%	0.20%	79.40%	0.10%	84.00%	0.10%
2	C	Adenocarcinoma with variants of prostate	79.0%	0.20%	84.50%	0.10%	88.50%	0.10%
2	R	Squamous cell carcinoma with variants of prostate	38.3%	6.00%	33.70%	5.80%	43.40%	7.60%
2	R	Infiltrating duct carcinoma of prostate	67.4%	1.40%	71.00%	1.40%	79.60%	1.40%
2	R	Transitional cell carcinoma of prostate	43.8%	3.50%	51.60%	3.70%	56.00%	4.00%
2	R	Salivary gland type tumours of prostate	68.3%	17.20%	66.30%	19.40%	37.10%	13.70%
1	R	TESTICULAR AND PARATESTICULAR CANCERS	94.5%	0.20%	94.60%	0.20%	95.40%	0.20%
2	R	Paratesticular adenocarcinoma with variants	23.7%	16.70%	90.30%	12.10%	78.30%	22.60%
2	R	Non seminomatous testicular cancer	92.7%	0.40%	92.10%	0.40%	93.50%	0.30%
2	R	Seminomatous testicular cancer	97.1%	0.20%	97.30%	0.20%	98.00%	0.20%
2	R	Spermatocytic seminoma	94.3%	3.10%	99.50%	2.60%	96.50%	2.90%
2	R	Teratoma with malignant transformation	73.9%	16.70%	100.80%	0.00%	90.80%	9.60%
2	R	Testicular sex cord cancer	86.1%	4.70%	86.80%	4.10%	79.80%	4.60%
1	R	EPITHELIAL TUMOURS OF PENIS	69.9%	1.20%	67.20%	1.10%	70.10%	1.10%
2	R	Squamous cell carcinoma with variants of penis	71.4%	1.20%	68.90%	1.20%	71.20%	1.10%
2	R	Adenocarcinoma with variants of penis	45.4%	13.60%	33.20%	10.70%	42.10%	13.40%
1	C	EPITHELIAL TUMOURS OF KIDNEY	54.6%	0.30%	55.40%	0.30%	58.50%	0.20%
2	C	Renal cell carcinoma with variants	63.4%	0.30%	64.50%	0.30%	67.30%	0.30%
2	R	Squamous cell carcinoma spindle cell type of kidney	15.7%	4.80%	27.50%	6.40%	21.00%	6.20%
2	R	Squamous cell carcinoma with variants of kidney	15.5%	3.10%	18.90%	3.20%	14.70%	3.10%
1	R	EPITHELIAL TUMOURS OF PELVIS AND URETER	49.9%	0.80%	47.80%	0.70%	47.80%	0.70%
2	R	Transitional cell carcinoma of pelvis and ureter	52.3%	0.80%	50.40%	0.80%	50.90%	0.80%

2	R	Squamous cell carcinoma with variants of pelvis and ureter	15.4%	4.00%	18.50%	4.90%	12.70%	3.40%
2	R	Adenocarcinoma with variants of pelvis and ureter	47.4%	6.30%	39.10%	5.90%	49.80%	7.00%
1	R	EPITHELIAL TUMOURS OF URETHRA	47.3%	2.60%	43.00%	2.50%	40.60%	2.30%
2	R	Transitional cell carcinoma of urethra	45.1%	3.20%	43.30%	3.10%	38.60%	2.70%
2	R	Squamous cell carcinoma with variants of urethra	51.9%	6.80%	52.60%	6.20%	44.80%	5.30%
2	R	Adenocarcinoma with variants of urethra	63.4%	8.40%	34.50%	6.80%	48.30%	8.80%
1	C	EPITHELIAL TUMOURS OF BLADDER	59.0%	0.20%	57.50%	0.20%	57.70%	0.20%
2	C	Transitional cell carcinoma of bladder	63.0%	0.20%	61.30%	0.20%	61.30%	0.20%
2	R	Squamous cell carcinoma with variants of bladder	21.7%	1.10%	22.50%	1.10%	21.40%	1.10%
2	R	Adenocarcinoma with variants of bladder	36.4%	1.40%	39.60%	1.50%	42.10%	1.60%
2	R	Salivary gland type tumours of bladder	+	+	+	+	+	+
1	R	EPITHELIAL TUMOURS OF EYE AND ADNEXA	86.9%	4.50%	75.50%	4.40%	81.30%	4.00%
2	R	Squamous cell carcinoma with variants of eye and adnexa	90.6%	5.90%	81.10%	5.50%	90.40%	4.80%
2	R	Adenocarcinoma with variants of eye and adnexa	83.5%	9.00%	57.40%	9.30%	59.90%	8.00%
1	R	EPITHELIAL TUMOURS OF MIDDLE EAR	47.4%	4.60%	42.50%	4.60%	40.40%	4.60%
2	R	Squamous cell carcinoma with variants middle ear	42.1%	5.30%	35.80%	5.10%	35.20%	5.10%
2	R	Adenocarcinoma with variants of middle ear	85.4%	12.90%	77.40%	13.50%	76.20%	13.00%
1	R	MALIGNANT MESOTHELIOMA	4.2%	0.20%	4.40%	0.20%	5.00%	0.20%
2	R	Mesothelioma of pleura and pericardium	3.6%	0.20%	3.90%	0.20%	4.50%	0.20%
2	R	Mesothelioma of peritoneum and tunica vaginalis	10.0%	1.40%	11.80%	1.40%	11.10%	1.40%
1	C	MALIGNANT SKIN MELANOMA	81.6%	0.20%	83.10%	0.20%	84.40%	0.20%
2	R	Malignant skin melanoma	20.9%	1.90%	19.40%	1.70%	20.30%	1.80%
1	R	MALIGNANT MELANOMA OF MUCOSA	72.5%	1.00%	71.50%	1.00%	71.70%	1.00%
2	C	Malignant melanoma of mucosa	81.6%	0.20%	83.10%	0.20%	84.40%	0.20%
1	R	MALIGNANT MELANOMA OF UVEA	20.9%	1.90%	19.40%	1.70%	20.30%	1.80%
2	R	Malignant melanoma of uvea	72.5%	1.00%	71.50%	1.00%	71.70%	1.00%
1	C	EPITHELIAL TUMOURS OF SKIN	97.4%	0.10%	97.90%	0.10%	98.50%	0.10%
2	C	Basal cell carcinoma of skin	100.5%	0.10%	100.90%	0.10%	101.50%	0.10%
2	C	Squamous cell carcinoma with variants of skin	88.1%	0.30%	88.70%	0.30%	89.80%	0.20%
1	R	ADNEXAL CARCINOMA OF SKIN	85.8%	2.00%	82.50%	1.80%	86.80%	1.60%
2	R	Adnexal carcinoma of skin	61.1%	2.30%	65.40%	2.10%	63.80%	2.30%
1	R	NEUROBLASTOMA AND GANGLIONEUROBLASTOMA	87.7%	1.40%	89.20%	1.30%	87.00%	1.40%
2	R	Neuroblastoma e ganglioneuroblastoma	96.8%	1.20%	96.40%	1.30%	96.60%	1.20%
1	R	NEPHROBLASTOMA	69.6%	4.60%	73.00%	4.20%	81.90%	3.80%
2	R	Nephroblastoma	+	+	+	+	33.40%	27.30%
1	R	RETINOBLASTOMA	33.6%	19.40%	19.30%	16.00%	17.90%	10.80%
2	R	Retinoblastoma	56.9%	5.00%	71.70%	4.40%	61.70%	4.20%
1	R	HEPATOBLASTOMA	56.1%	13.60%	64.20%	12.70%	65.40%	16.90%
2	R	Hepatoblastoma	85.8%	2.00%	82.50%	1.80%	86.80%	1.60%
1	R	PLEUROPULMONARY BLASTOMA	61.1%	2.30%	65.40%	2.10%	63.80%	2.30%
2	R	Pleuropulmonary blastoma	87.7%	1.40%	89.20%	1.30%	87.00%	1.40%
1	R	PANCREATOBLASTOMA	96.8%	1.20%	96.40%	1.30%	96.60%	1.20%
2	R	Pancreatoblastoma	69.6%	4.60%	73.00%	4.20%	81.90%	3.80%
1	R	OLFACTORY NEUROBLASTOMA	+	+	+	+	33.40%	27.30%
2	R	Olfactory neuroblastoma	33.6%	19.40%	19.30%	16.00%	17.90%	10.80%
1	R	ODONTOGENIC MALIGNANT TUMOURS	56.9%	5.00%	71.70%	4.40%	61.70%	4.20%
2	R	Odontogenic malignant tumours	56.1%	13.60%	64.20%	12.70%	65.40%	16.90%
1	R	EXTRAGONADAL GERM CELL TUMOURS	66.9%	2.10%	68.60%	2.00%	71.20%	1.90%
2	R	Non seminomatous germ cell tumours	57.7%	3.10%	61.60%	3.00%	63.80%	2.90%
2	R	Seminomatous germ cell tumors	78.3%	6.30%	83.30%	6.10%	91.40%	4.80%

2	R	Germ cell tumors of Central Nervous System (CNS)	83.5%	3.30%	81.20%	3.10%	81.40%	2.90%
1	R	SOFT TISSUE SARCOMA	53.6%	0.40%	55.60%	0.40%	56.60%	0.40%
2	R	Soft tissue sarcoma of head and neck	56.7%	1.80%	63.70%	1.80%	59.10%	1.70%
2	R	Soft tissue sarcoma of limbs	64.2%	0.80%	65.80%	0.80%	68.40%	0.80%
2	R	Soft tissue sarcoma of superficial trunk	43.8%	1.20%	46.50%	1.20%	50.30%	1.20%
2	R	Soft tissue sarcoma of mediastinum	21.0%	4.00%	18.60%	3.40%	24.20%	4.00%
2	R	Soft tissue sarcoma of heart	12.0%	4.60%	20.10%	6.40%	13.80%	4.10%
2	R	Soft tissue sarcoma of breast	76.4%	1.70%	75.80%	1.70%	70.50%	1.80%
2	R	Soft tissue sarcoma of uterus	49.8%	1.10%	52.30%	1.10%	49.70%	1.00%
2	R	Other soft tissue sarcomas of genitourinary tract	47.1%	1.90%	50.70%	1.80%	47.30%	1.80%
2	R	Soft tissue sarcoma of viscera	35.6%	1.20%	40.90%	1.30%	43.10%	1.30%
2	R	Soft tissue sarcoma of paratestis	87.4%	4.40%	86.30%	4.30%	84.90%	4.30%
2	R	Soft tissue sarcoma of retroperitoneum and peritoneum	34.0%	1.40%	35.90%	1.40%	38.80%	1.40%
2	R	Soft tissue sarcoma of pelvis	47.8%	1.90%	43.60%	1.80%	47.10%	1.90%
2	R	Soft tissue sarcoma of skin	91.8%	1.20%	89.50%	1.20%	90.40%	1.10%
2	R	Soft tissue sarcoma of paraorbit	76.6%	9.60%	52.00%	8.60%	69.50%	9.40%
2	R	Soft tissue sarcoma of brain and other parts of nervous system	53.8%	1.90%	56.00%	1.90%	53.90%	1.90%
2	R	Embryonal rhabdomyosarcoma of soft tissue	63.7%	3.00%	70.40%	2.80%	66.80%	3.10%
2	R	Alveolar rhabdomyosarcoma of soft tissue	38.3%	4.30%	41.00%	4.20%	34.30%	3.70%
2	R	Ewing's sarcoma of soft tissue	45.4%	3.20%	42.30%	2.90%	47.50%	3.00%
1	R	BONE SARCOMA	57.6%	0.90%	57.10%	0.90%	59.00%	0.90%
2	R	Osteogenic sarcoma	50.6%	1.60%	49.50%	1.60%	50.80%	1.70%
2	R	Chondrogenic sarcomas	70.0%	1.60%	67.80%	1.50%	71.70%	1.50%
2	R	Notochordal sarcomas, chordoma	60.9%	3.30%	63.60%	3.20%	55.20%	2.90%
2	R	Vascular sarcomas	52.7%	8.10%	44.20%	8.80%	49.90%	9.10%
2	R	Ewing's sarcoma	50.7%	2.10%	52.10%	2.10%	53.10%	2.10%
2	R	Epithelial tumours, adamantinoma	79.0%	6.80%	83.40%	5.70%	95.10%	4.10%
2	R	Other high grade sarcomas (fibrosarcoma, malignant fibrous histiocytoma)	47.9%	5.40%	39.10%	5.20%	44.50%	5.90%
1	R	GASTROINTESTINAL STROMAL SARCOMA	65.1%	3.80%	71.00%	2.10%	72.20%	1.50%
2	R	Gastrointestinal stromal sarcoma	75.8%	1.80%	80.20%	1.80%	83.00%	1.60%
1	R	KAPOSI'S SARCOMA	65.1%	3.80%	71.00%	2.10%	72.20%	1.50%
2	R	Kaposi's sarcoma	75.8%	1.80%	80.20%	1.80%	83.00%	1.60%
1	R	NEUROENDOCRINE TUMOURS	50.7%	0.50%	51.90%	0.50%	51.20%	0.40%
2	R	Well differentiated not functioning endocrine carcinoma of pancreas and digestive system	67.8%	0.80%	70.00%	0.80%	72.40%	0.80%
2	R	Well differentiated functioning endocrine carcinoma of pancreas and digestive system	43.2%	4.60%	56.40%	4.90%	59.90%	4.90%
2	R	Poorly differentiated endocrine carcinoma of pancreas and digestive system	26.5%	1.30%	29.80%	1.00%	32.90%	0.90%
2	R	Mixed endocrine-exocrine carcinoma of pancreas and digestive system	17.3%	10.70%	41.90%	12.70%	14.50%	5.40%
2	R	Endocrine carcinoma of thyroid gland	78.9%	1.50%	81.40%	1.40%	81.90%	1.40%
2	R	Neuroendocrine carcinoma of skin	50.5%	2.90%	52.90%	2.50%	53.50%	2.20%
2	R	Typical and atypical carcinoid of the lung	79.6%	1.20%	80.30%	1.20%	81.40%	1.10%
2	R	Neuroendocrine carcinoma of other sites	21.1%	0.80%	23.50%	0.80%	23.50%	0.70%
2	R	Pheochromocytoma, malignant	63.7%	3.70%	72.60%	3.40%	65.40%	3.80%
2	R	Paraganglioma	44.8%	5.00%	50.70%	5.00%	59.00%	5.60%
1	R	CARCINOMAS OF PITUITARY GLAND	66.7%	4.20%	64.10%	4.20%	61.70%	4.60%
2	R	Carcinoma of pituitary gland	86.3%	0.30%	89.50%	0.30%	90.60%	0.20%
1	R	CARCINOMAS OF THYROID GLAND	78.3%	5.10%	80.70%	4.40%	81.80%	4.10%
2	R	Carcinoma of thyroid gland	33.6%	1.70%	28.30%	1.60%	30.60%	1.70%
1	R	CARCINOMAS OF PARATHYROID GLAND	66.7%	4.20%	64.10%	4.20%	61.70%	4.60%
2	R	Carcinoma of parathyroid gland	86.3%	0.30%	89.50%	0.30%	90.60%	0.20%
1	R	CARCINOMA OF ADRENAL GLAND	78.3%	5.10%	80.70%	4.40%	81.80%	4.10%

2	R	Carcinoma of adrenal gland	33.6%	1.70%	28.30%	1.60%	30.60%	1.70%
1	C	TUMOURS OF CENTRAL NERVOUS SYSTEM (CNS)	19.5%	0.20%	18.90%	0.20%	19.90%	0.20%
2	R	Astrocytic tumours of CNS	14.9%	0.20%	14.00%	0.20%	15.00%	0.20%
2	R	Oligodendroglial tumours of CNS	52.0%	1.30%	52.60%	1.20%	54.70%	1.20%
2	R	Ependymal tumours of CNS	70.7%	1.60%	72.60%	1.50%	73.40%	1.50%
2	R	Neuronal and mixed neuronal-glia tumors	45.9%	22.50%	66.60%	11.80%	36.60%	9.80%
2	R	Choroid plexus carcinoma of CNS	36.5%	9.90%	63.20%	10.40%	67.50%	10.30%
2	R	Malignant meningiomas	60.5%	2.10%	55.30%	2.00%	60.00%	2.30%
1	R	EMBRYONAL TUMORS OF CENTRAL NERVOUS SYSTEM (CNS)	53.4%	1.70%	56.20%	1.60%	53.30%	1.70%
2	R	Embryonal tumors of CNS	53.4%	1.70%	56.20%	1.60%	53.30%	1.70%
1	C	LYMPHOID DISEASES	52.8%	0.20%	55.20%	0.20%	57.70%	0.20%
2	R	Hodgkin lymphoma, classical	79.9%	0.40%	80.40%	0.40%	80.20%	0.40%
2	R	Hodgkin lymphoma nodular lymphocyte predominance	94.1%	1.80%	91.30%	1.70%	94.30%	1.40%
2	R	Precursor B/T lymphoblastic leuk/lymphoma (and Burkitt leukemia/lymphoma)	54.4%	0.60%	58.20%	0.60%	60.70%	0.60%
2	R	T cutaneous lymphoma (Sezary syn, Mycosis fung)	75.4%	1.50%	78.80%	1.40%	80.20%	1.30%
2	R	Other T cell lymphomas and NK cell neoplasms	38.7%	1.20%	37.60%	1.10%	37.40%	1.00%
2	R	Diffuse B lymphoma	46.8%	0.50%	51.10%	0.40%	55.10%	0.40%
2	R	Follicular B lymphoma	69.7%	0.60%	73.70%	0.50%	78.20%	0.50%
2	R	Hairy cell leukaemia	90.1%	1.30%	89.00%	1.30%	89.10%	1.30%
2	R	Plasmacytoma/Multiple Myeloma (and Heavy chain diseases)	30.1%	0.30%	31.50%	0.30%	34.90%	0.30%
2	C	Other non Hodgkin, Mature B cell lymphoma	64.9%	0.40%	67.20%	0.40%	67.10%	0.30%
2	R	Mantle cell lymphoma	45.1%	1.40%	39.90%	1.20%	42.20%	1.10%
2	R	Prolymphocytic leukaemia, B cell	19.6%	2.80%	26.70%	3.30%	29.70%	3.30%
1	R	ACUTE MYELOID LEUKEMIA AND RELATED PRECURSOR NEOPLASMS	18.1%	0.30%	18.10%	0.30%	18.60%	0.30%
2	R	Acute promyelocytic leukemia (AML) with t(15;17) with variants	57.5%	2.30%	65.00%	2.10%	62.50%	2.10%
2	R	Acute myeloid leukemia	16.7%	0.30%	16.30%	0.30%	16.80%	0.30%
1	R	MYELOPROLIFERATIVE NEOPLASMS	57.4%	0.50%	64.90%	0.50%	70.00%	0.40%
2	R	Chronic myeloid leukemia	38.2%	0.70%	48.50%	0.80%	58.40%	0.80%
2	R	Other myeloproliferative neoplasms	71.6%	0.70%	73.20%	0.60%	74.20%	0.50%
2	R	Mast cell tumour	78.8%	5.60%	72.90%	5.30%	71.00%	4.40%
1	R	MYELODYSPLASTIC SYNDROME AND MYELODYSPLASTIC/MYELOPROLIFERATIVE	32.5%	0.70%	29.60%	0.50%	29.30%	0.50%
2	R	Myelodysplastic syndrome with 5q syndrome	34.8%	19.00%	40.70%	12.50%	44.20%	8.10%
2	R	Other myelodysplastic syndrome	34.2%	0.70%	31.00%	0.60%	30.20%	0.50%
2	R	Chronic Myelomonocytic leukemia	22.6%	1.50%	19.80%	1.30%	21.00%	1.30%
2	R	Atypical chronic myeloid leukemia BCR/ABL negative	18.9%	15.80%	25.00%	5.70%	19.50%	4.90%
1	R	HISTIOCYTIC AND DENDRITIC CELL NEOPLASMS	60.9%	3.30%	58.10%	3.40%	52.70%	3.70%
2	R	Histiocytic malignancies	62.8%	3.50%	58.70%	3.70%	57.20%	4.20%
2	R	Lymph node accessory cell tumors	38.4%	12.20%	55.50%	8.70%	37.70%	7.60%